

April 04, 2022

Report to:

Geovanny Romero
Morrison Creek Water District
24490 Uncompahgre Road
Oak Creek, CO 80467

Bill to:

Geovanny Romero
Morrison Creek Water District
24490 Uncompahgre Road
Oak Creek, CO 80467

Project ID:

ACZ Project ID: L71873

Geovanny Romero:

Enclosed are the analytical results for sample(s) submitted to ACZ Laboratories, Inc. (ACZ) on March 09, 2022. This project has been assigned to ACZ's project number, L71873. Please reference this number in all future inquiries.


All analyses were performed according to ACZ's Quality Assurance Plan. The enclosed results relate only to the samples received under L71873. Each section of this report has been reviewed and approved by the appropriate Laboratory Supervisor, or a qualified substitute.

Except as noted, the test results for the methods and parameters listed on ACZ's current NELAC certificate letter (#ACZ) meet all requirements of NELAC.

This report shall be used or copied only in its entirety. ACZ is not responsible for the consequences arising from the use of a partial report.

All samples and sub-samples associated with this project will be disposed of after May 04, 2022. If the samples are determined to be hazardous, additional charges apply for disposal (typically \$11/sample). If you would like the samples to be held longer than ACZ's stated policy or to be returned, please contact your Project Manager or Customer Service Representative for further details and associated costs. ACZ retains analytical raw data reports for ten years.

If you have any questions or other needs, please contact your Project Manager.



Max Janicek has reviewed and approved this report.



Morrison Creek Water District

Project ID:
Sample ID: BH-2

ACZ Sample ID: **L71873-01**
Date Sampled: 03/09/22 09:35
Date Received: 03/09/22
Sample Matrix: *Drinking Water*

Inorganic Prep

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Lab Filtration (0.45um) & Acidification	M200.7/200.8								03/15/22 10:00	mlh
Total Recoverable Digestion	M200.2 ICP								03/12/22 5:16	wtc
Total Recoverable Digestion	M200.2 ICP-MS								03/16/22 10:50	mfm

Metals Analysis

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Calcium, dissolved	M200.7 ICP	1	65.5			mg/L	0.1	0.5	03/17/22 21:33	jlw
Copper, total recoverable	M200.7 ICP	1	<0.01	U	*	mg/L	0.01	0.05	03/16/22 3:13	jlw
Iron, total recoverable	M200.7 ICP	1	0.127	B		mg/L	0.06	0.15	03/16/22 3:13	jlw
Lead, total recoverable	M200.8 ICP-MS	1	0.00016	B		mg/L	0.0001	0.0005	03/17/22 18:54	mfm
Magnesium, dissolved	M200.7 ICP	1	7.06			mg/L	0.2	1	03/17/22 21:33	jlw
Sodium, dissolved	M200.7 ICP	1	6.65			mg/L	0.2	1	03/17/22 21:33	jlw

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Alkalinity as CaCO3	SM2320B - Titration									
Bicarbonate as CaCO3		1	191			mg/L	2	20	03/10/22 0:00	eep
Carbonate as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Hydroxide as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Total Alkalinity		1	191			mg/L	2	20	03/10/22 0:00	eep
Chloride	M300.0 - Ion Chromatography	1	8.35			mg/L	0.4	2	03/28/22 20:11	krh
Fluoride	M300.0 - Ion Chromatography	1	0.154	B	*	mg/L	0.05	0.25	03/18/22 3:10	krh
Hardness as CaCO3 (dissolved)	SM2340B - Calculation		193			mg/L	0.2	5	04/04/22 0:00	calc
Lab Filtration (0.45um filter)	SOPWC050	1							03/16/22 7:20	mlh
Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	1	0.523			mg/L	0.02	0.1	03/25/22 2:19	pjb
pH (lab)	SM4500H+ B									
pH		1	8.2			units	0.1	0.1	03/10/22 0:00	eep
pH measured at		1	22.6			C	0.1	0.1	03/10/22 0:00	eep
Sulfate	M300.0 - Ion Chromatography	1	6.56		*	mg/L	0.4	2	03/18/22 3:10	krh

Morrison Creek Water District

Project ID:
Sample ID: PJI-2

ACZ Sample ID: **L71873-02**
Date Sampled: 03/09/22 09:00
Date Received: 03/09/22
Sample Matrix: Drinking Water

Inorganic Prep

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Lab Filtration (0.45um) & Acidification	M200.7/200.8								03/15/22 10:00	mlh
Total Recoverable Digestion	M200.2 ICP								03/12/22 5:55	wtc
Total Recoverable Digestion	M200.2 ICP-MS								03/16/22 10:50	mfm

Metals Analysis

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Calcium, dissolved	M200.7 ICP	1	69.9			mg/L	0.1	0.5	03/17/22 21:36	jlw
Copper, total recoverable	M200.7 ICP	1	0.021	B	*	mg/L	0.01	0.05	03/16/22 3:17	jlw
Iron, total recoverable	M200.7 ICP	1	<0.06	U		mg/L	0.06	0.15	03/16/22 3:17	jlw
Lead, total recoverable	M200.8 ICP-MS	1	0.00014	B		mg/L	0.0001	0.0005	03/17/22 18:56	mfm
Magnesium, dissolved	M200.7 ICP	1	7.09			mg/L	0.2	1	03/17/22 21:36	jlw
Sodium, dissolved	M200.7 ICP	1	7.86			mg/L	0.2	1	03/17/22 21:36	jlw

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Alkalinity as CaCO3	SM2320B - Titration									
Bicarbonate as CaCO3		1	206			mg/L	2	20	03/10/22 0:00	eep
Carbonate as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Hydroxide as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Total Alkalinity		1	206			mg/L	2	20	03/10/22 0:00	eep
Chloride	M300.0 - Ion Chromatography	1	1.82	B		mg/L	0.4	2	03/28/22 20:47	krh
Fluoride	M300.0 - Ion Chromatography	1	0.130	B	*	mg/L	0.05	0.25	03/18/22 3:28	krh
Hardness as CaCO3 (dissolved)	SM2340B - Calculation		204			mg/L	0.2	5	04/04/22 0:00	calc
Lab Filtration (0.45um filter)	SOPWC050	1							03/16/22 7:23	mlh
Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	1	0.398			mg/L	0.02	0.1	03/25/22 2:26	pjb
pH (lab)	SM4500H+ B									
pH		1	8.2			units	0.1	0.1	03/10/22 0:00	eep
pH measured at		1	22.5			C	0.1	0.1	03/10/22 0:00	eep
Sulfate	M300.0 - Ion Chromatography	1	13.6		*	mg/L	0.4	2	03/18/22 3:28	krh

Morrison Creek Water District

Project ID:
Sample ID: EW-1

ACZ Sample ID: **L71873-03**
Date Sampled: 03/09/22 09:20
Date Received: 03/09/22
Sample Matrix: Drinking Water

Inorganic Prep

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Lab Filtration (0.45um) & Acidification	M200.7/200.8								03/15/22 10:00	mlh
Total Recoverable Digestion	M200.2 ICP								03/12/22 6:33	wtc
Total Recoverable Digestion	M200.2 ICP-MS								03/16/22 10:50	mfm

Metals Analysis

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Calcium, dissolved	M200.7 ICP	1	41.0			mg/L	0.1	0.5	03/17/22 21:39	jlw
Copper, total recoverable	M200.7 ICP	1	0.012	B	*	mg/L	0.01	0.05	03/16/22 3:20	jlw
Iron, total recoverable	M200.7 ICP	1	<0.06	U		mg/L	0.06	0.15	03/16/22 3:20	jlw
Lead, total recoverable	M200.8 ICP-MS	1	<0.0001	U		mg/L	0.0001	0.0005	03/17/22 19:00	mfm
Magnesium, dissolved	M200.7 ICP	1	4.29			mg/L	0.2	1	03/17/22 21:39	jlw
Sodium, dissolved	M200.7 ICP	1	10.2			mg/L	0.2	1	03/17/22 21:39	jlw

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Alkalinity as CaCO3	SM2320B - Titration									
Bicarbonate as CaCO3		1	123			mg/L	2	20	03/10/22 0:00	eep
Carbonate as CaCO3		1	3.5	B		mg/L	2	20	03/10/22 0:00	eep
Hydroxide as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Total Alkalinity		1	127			mg/L	2	20	03/10/22 0:00	eep
Chloride	M300.0 - Ion Chromatography	1	1.49	B	*	mg/L	0.4	2	03/31/22 20:01	krh
Fluoride	M300.0 - Ion Chromatography	1	0.194	B	*	mg/L	0.05	0.25	03/18/22 3:46	krh
Hardness as CaCO3 (dissolved)	SM2340B - Calculation		120			mg/L	0.2	5	04/04/22 0:00	calc
Lab Filtration (0.45um filter)	SOPWC050	1							03/16/22 7:26	mlh
Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	1	0.271			mg/L	0.02	0.1	03/25/22 2:27	pjb
pH (lab)	SM4500H+ B									
pH		1	8.3			units	0.1	0.1	03/10/22 0:00	eep
pH measured at		1	22.5			C	0.1	0.1	03/10/22 0:00	eep
Sulfate	M300.0 - Ion Chromatography	1	4.55		*	mg/L	0.4	2	03/18/22 3:46	krh

Morrison Creek Water District

Project ID:

Sample ID: MG-1

ACZ Sample ID: **L71873-04**

Date Sampled: 03/09/22 09:15

Date Received: 03/09/22

Sample Matrix: *Drinking Water*

Inorganic Prep

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Lab Filtration (0.45um) & Acidification	M200.7/200.8								03/15/22 10:00	mlh
Total Recoverable Digestion	M200.2 ICP								03/12/22 7:12	wtc
Total Recoverable Digestion	M200.2 ICP-MS								03/16/22 10:50	mfm

Metals Analysis

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Calcium, dissolved	M200.7 ICP	1	56.4			mg/L	0.1	0.5	03/17/22 21:54	jlw
Copper, total recoverable	M200.7 ICP	1	0.528		*	mg/L	0.01	0.05	03/16/22 3:23	jlw
Iron, total recoverable	M200.7 ICP	1	<0.06	U		mg/L	0.06	0.15	03/16/22 3:23	jlw
Lead, total recoverable	M200.8 ICP-MS	1	0.00079			mg/L	0.0001	0.0005	03/17/22 19:02	mfm
Magnesium, dissolved	M200.7 ICP	1	5.79			mg/L	0.2	1	03/17/22 21:54	jlw
Sodium, dissolved	M200.7 ICP	1	8.74			mg/L	0.2	1	03/17/22 21:54	jlw

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Alkalinity as CaCO3	SM2320B - Titration									
Bicarbonate as CaCO3		1	174			mg/L	2	20	03/10/22 0:00	eep
Carbonate as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Hydroxide as CaCO3		1	<2	U		mg/L	2	20	03/10/22 0:00	eep
Total Alkalinity		1	174			mg/L	2	20	03/10/22 0:00	eep
Chloride	M300.0 - Ion Chromatography	1	1.75	B	*	mg/L	0.4	2	03/31/22 20:36	krh
Fluoride	M300.0 - Ion Chromatography	1	0.153	B	*	mg/L	0.05	0.25	03/18/22 4:04	krh
Hardness as CaCO3 (dissolved)	SM2340B - Calculation		165			mg/L	0.2	5	04/04/22 0:00	calc
Lab Filtration (0.45um filter)	SOPWC050	1							03/16/22 7:30	mlh
Nitrate/Nitrite as N	M353.2 - H2SO4 preserved	1	0.332			mg/L	0.02	0.1	03/25/22 2:28	pjb
pH (lab)	SM4500H+ B									
pH		1	8.3			units	0.1	0.1	03/10/22 0:00	eep
pH measured at		1	22.5			C	0.1	0.1	03/10/22 0:00	eep
Sulfate	M300.0 - Ion Chromatography	1	10.6		*	mg/L	0.4	2	03/18/22 4:04	krh

Report Header Explanations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit unless omitted or equal to the PQL (see comment #5). Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit. Synonymous with the EPA term "minimum level".
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Recovered amount of the true value or spike added, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Types

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>ICSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>PQV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

QC Sample Type Explanations

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

ACZ Qualifiers (Qual)

B	Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity.
H	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
L	Target analyte response was below the laboratory defined negative threshold.
U	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

Method References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (4) EPA SW-846. Test Methods for Evaluating Solid Waste.
- (5) Standard Methods for the Examination of Water and Wastewater.

Comments

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.
- (5) If the MDL equals the PQL or the MDL column is omitted, the PQL is the reporting limit.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

Morrison Creek Water District

ACZ Project ID: **L71873**

ACZ ID	WORKNUM	PARAMETER	METHOD	QUAL	DESCRIPTION
L71873-01	WG538417	Fluoride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
		Sulfate	M300.0 - Ion Chromatography	M2	Matrix spike recovery was low, the recovery of the associated control sample (LCS or LFB) was acceptable.
L71873-02	WG538417	Fluoride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
		Sulfate	M300.0 - Ion Chromatography	M2	Matrix spike recovery was low, the recovery of the associated control sample (LCS or LFB) was acceptable.
L71873-03	WG539431	Chloride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
	WG538417	Fluoride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
		Sulfate	M300.0 - Ion Chromatography	M2	Matrix spike recovery was low, the recovery of the associated control sample (LCS or LFB) was acceptable.
L71873-04	WG539431	Chloride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
	WG538417	Fluoride	M300.0 - Ion Chromatography	RA	Relative Percent Difference (RPD) was not used for data validation because the concentration of the duplicated sample is too low for accurate evaluation (< 10x MDL).
		Sulfate	M300.0 - Ion Chromatography	M2	Matrix spike recovery was low, the recovery of the associated control sample (LCS or LFB) was acceptable.

Morrison Creek Water District

ACZ Project ID: **L71873**

Metals Analysis

The following parameters are not offered for certification or are not covered by NELAC certificate #ACZ.

Copper, total recoverable

M200.7 ICP

Morrison Creek Water District

ACZ Project ID: L71873
 Date Received: 03/09/2022 16:03
 Received By:
 Date Printed: 3/10/2022

Receipt Verification

	YES	NO	NA
1) Is a foreign soil permit included for applicable samples?			X
2) Is the Chain of Custody form or other directive shipping papers present?	X		
3) Does this project require special handling procedures such as CLP protocol?		X	
4) Are any samples NRC licensable material?			X
5) If samples are received past hold time, proceed with requested short hold time analyses?	X		
6) Is the Chain of Custody form complete and accurate?		X	

The date/time was entered on the COC per the information present on the sample containers for sample(s) 1-4.

The date/time was entered on the COC per the information present on the sample containers for sample(s) 1-4.

The date/time was entered on the COC per the information present on the sample containers for sample(s) 1-4.

The date/time was entered on the COC per the information present on the sample containers for sample(s) 1-4.

The date/time was entered on the COC per the information present on the sample containers for sample(s) 1-4.

7) Were any changes made to the Chain of Custody form prior to ACZ receiving the samples?	X		
-------------------------------------------------------------------------------------------	---	--	--

A change was made in the There were corrections made in the sample id, matrix, and number of containers sections. section prior to ACZ custody.

A change was made in the There were corrections made in the sample id, matrix, and number of containers sections. section prior to ACZ custody.

A change was made in the There were corrections made in the sample id, matrix, and number of containers sections. section prior to ACZ custody.

A change was made in the There were corrections made in the sample id, matrix, and number of containers sections. section prior to ACZ custody.

A change was made in the There were corrections made in the sample id, matrix, and number of containers sections. section prior to ACZ custody.

Samples/Containers

	YES	NO	NA
8) Are all containers intact and with no leaks?	X		
9) Are all labels on containers and are they intact and legible?	X		
10) Do the sample labels and Chain of Custody form match for Sample ID, Date, and Time?	X		
11) For preserved bottle types, was the pH checked and within limits? ¹	X		

Morrison Creek Water District

ACZ Project ID: L71873
 Date Received: 03/09/2022 16:03
 Received By:
 Date Printed: 3/10/2022

- 12) Is there sufficient sample volume to perform all requested work?
- 13) Is the custody seal intact on all containers?
- 14) Are samples that require zero headspace acceptable?
- 15) Are all sample containers appropriate for analytical requirements?
- 16) Is there an Hg-1631 trip blank present?
- 17) Is there a VOA trip blank present?
- 18) Were all samples received within hold time?

X		
		X
		X
X		
		X
		X
X		

NA indicates Not Applicable

Chain of Custody Related Remarks

Client Contact Remarks

Shipping Containers

Cooler Id	Temp (°C)	Temp Criteria (°C)	Rad (µR/Hr)	Custody Seal Intact?
635	2.5	<=6.0	15	N/A

Was ice present in the shipment container(s)?

Yes - Wet ice was present in the shipment container(s).

Client must contact an ACZ Project Manager if analysis should not proceed for samples received outside of their thermal preservation acceptance criteria.

¹ The preservation of the following bottle types is not checked at sample receipt: Orange (oil and grease), Purple (total cyanide), Pink (dissolved cyanide), Brown (arsenic speciation), Sterile (fecal coliform), EDTA (sulfite), HCl preserved vial (organics), Na2S2O3 preserved vial (organics), and HG-1631 (total/dissolved mercury by method 1631).



Accredited Environmental Testing

2773 Downhill Drive
Steamboat Springs, CO 80487
(970) 879-6590

L-71873

CHAIN of CUSTODY

Report to:

Name: Geovanny Romero
Company: MCMWSD
E-mail: INFO@Mcwater.org

Address: 24490 Uncompahgre Rd.
Oak Creek CO 80467
Telephone: 970-736-8250

Copy of Report to:

Name:
Company:

E-mail:
Telephone:

Invoice to:

Name: Geovanny Romero
Company: Morrison Creek W-S DISTRICT
E-mail: INFO@Mcwater.org

Address: 24490 Uncompahgre Rd.
Oak Creek, CO 80467
Telephone: 970-736-8250

Copy of Invoice to:

Name:
Company:
E-mail:

Address:
Telephone:

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses? YES NO

Are samples for SDWA Compliance Monitoring? Yes No

Sampler's Name: Bill Queen Sampler's Site Information State CO Zip code 80467 Time Zone MTN
*Sampler's Signature: Bill Queen *I attest to the authenticity and validity of this sample. I understand that intentionally mislabeling the time/date/location or tampering with the sample in anyway, is considered fraud and punishable by State Law.

PROJECT INFORMATION

ANALYSES REQUESTED (attach list or use quote number)

Quote #: 3049123
PO#:
Reporting state for compliance testing:
Check box if samples include NRC licensed material?

SAMPLE IDENTIFICATION	DATE:TIME	Matrix	# of Containers															
BH-2	3-9-22 09:35	DW	5	3049123														
PJ1-2	3-9-22 09:00	DW	5															
E-W-1	3-9-22 09:20	DW	5															
3049123 MG-1	3-9-22 09:15	DW	5															
	09:15 3/9/22	DW	5															
	Entered Per																	
	(container)																	

Matrix SW (Surface Water) · GW (Ground Water) · WW (Waste Water) · DW (Drinking Water) · SL (Sludge) · SO (Soil) · OL (Oil) · Other (Specify)

REMARKS

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

RELINQUISHED BY:	DATE:TIME	RECEIVED BY:	DATE:TIME
<u>Geo Romero</u>	<u>3/8/22</u>	<u>[Signature]</u>	<u>3/9/22</u>
	<u>10:00</u>		<u>16:00</u>

L71873 Chain of Custody